Biological Molecules - 2021/20 GCE AS Biology A

1. Nov/2021/Paper_H020/2/No.1

The information below is about carbohydrates.

- Glucose is a monomer of polysaccharides such as glycogen and starch.
- Glucose is an important source of energy in animals and is transported in the circulatory system.
- Glycogen is an energy storage molecule found in many animals.
- Starch is an energy storage molecule found in many plants.
- Amylopectin is one of the two polysaccharides that constitute the molecular structure of starch.

(a) (i)	State one property of glucose that allows it to be easily transported in animals.
	[1]
(ii)	Explain how the structure of glycogen differs from that of amylopectin to make it better suited as an energy store in animals.
	[3]

(iii) Fig. 1.1 shows the molecular structure of beta glucose.




Fig. 1.1

Describe how the structure of alpha glucose would be different from the molecule shown in Fig. 1.1.

(b) Fig. 1.2 shows the start of the ring structure of ribose.

Complete the diagram to show the position of the carbon atoms. There is no need to include the –H and –OH groups. [1]





Fig. 1.2

2. Nov/2020/Paper_H020/2/No.2

(a) Mucus is composed of water, carbohydrates, proteins and triglycerides.

Mucus is secreted by goblet cells.

Below is a diagram of a goblet cell as seen under an electron microscope.



(i) Suggest why goblet cells have large numbers of the cellular component labelled A.	
[1]
ii) Suggest how the role of the cellular component labelled B is relevant to the function the goblet cell.	of
Г	21


ocrsolvedexampapers.co.uk

(b)	(i)	Mucus is present in goblet cells as condensed granules.
		Some studies reveal that when secreted, the mucus expands to 500 times its volume in $20\mathrm{ms}.$
		40 cm ³ of mucus is held in condensed granules.
		Calculate the volume of mucus in these granules one second after secretion, assuming a constant rate of expansion.
		volume of mucus =cm ³ [2]
	(ii)	Sjogren's syndrome is a rare condition that can reduce the production of mucus.
		Suggest how the upper respiratory tract of a person with Sjogren's syndrome might be affected.
		[1]

(c) (i) A protein is made up of amino acids which are joined by chemical bonds.

Below is an incomplete diagram of one of these bonds.

Complete the diagram of the molecular structure of these two amino acids to show how they are joined together **and** name the bond you have drawn.



Name of	bond	

(ii) The process of esterification leads to the formation of ester bonds during the production of triglycerides.

[2]

Describe what is meant by the term esterification.

ocrsolvedexampapers.co.uk

- (d) Sjogren's syndrome is an autoimmune condition.
 - Family members of Sjogren's syndrome sufferers can often have other autoimmune diseases such as Lupus
 - Lupus affects approximately 1 in 1350 of the world's population
 - In 2018 the world population was estimated at 7.7 × 10⁹
 - The world population is estimated to increase by 1.11% a year
 - Around 60% of Lupus sufferers are photosensitive, meaning their symptoms can be triggered by going out in direct sunlight.
 - (i) Using the information provided, calculate how many of the world's Lupus sufferers by the end of 2019 would be photosensitive.

	·	
(ii)	Lupus symptoms include pain in joints, inflammation, fatigue, fever and a skin rash.	
	Suggest what component of sunlight causes photosensitivity and which symptom is like to be more common in photosensitive sufferers.	ely
	Component of sunlight	
	Symptom	[1]
(iii)	Explain what is meant by an autoimmune disease and suggest why members of t same family can be sufferers of autoimmune diseases.	
		FO1

number of photosensitive Lupus sufferers =[2]